



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

METEOROLOGICAL JOURNAL,

KEPT AT THE APARTMENTS

OF THE

ROYAL SOCIETY,

BY ORDER OF THE

PRESIDENT AND COUNCIL.

METEOROLOGICAL JOURNAL

for January, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.	
		H.	M.	°	°	Inches.		Inches.	Points.	Str.		
Jan. 1	°											
	37	8	0	38	54	30,08	80	0,110	SW	2	Fair.	
	44	2	0	44	57	30,03	74		SW	1	Fine.	
	2	38	8	0	39	51	29,95	81	SW	1	Fine.	
	48	2	0	47	57	29,72	76		SSW	1	Cloudy.	
	3	39	8	0	42	53,5	29,82	80	0,109	SW	1	Cloudy.
	48	2	0	44	57	29,83	82		E	1	Rain.	
	4	42	8	0	46	54	30,15	86		SW	1	Cloudy.
	49	2	0	48	57	30,19	80		WSW	1	Cloudy.	
	5	46	8	0	46	55	30,20	81		SSW	1	Cloudy.
	48	2	0	46	57	30,13	80		SSW	1	Cloudy.	
	6	45	8	0	48	55	30,05	83		S	2	Cloudy.
	51	2	0	46	57,5	30,10	81		NW	1	Cloudy.	
	7	36	8	0	42	54	30,18	82	0,202	SSW	1	Cloudy.
	50	2	0	49	58	30,14	85		SSW	1	Cloudy.	
	8	45	8	0	46	55	29,98	82		ESE	1	Cloudy.
	49	2	0	46	59	29,88	82		ESE	1	Cloudy.	
	9	39	8	0	42	56	29,65	84		ESE	1	Fair.
	50	2	0	46	58,5	29,55	80		ESE	1	Fine.	
	10	39	8	0	41	56	29,46	82		E	1	Cloudy.
	48,5	2	0	48	57	29,45	82		ENE	1	Cloudy.	
	11	41,5	8	0	45	55	29,51	85		S	2	Cloudy.
	48	2	0	46	58	29,50	84		SSE	2	Rain.	
	12	43	8	0	47	55	29,85	84	0,071	S	2	Cloudy.
53	2	0	52,5	58	29,84	85		S	2	Cloudy.		
13	51	8	0	51	57,5	30,00	85		S	2	Cloudy.	
55	2	0	55	55,5	29,95	84		S	2	Cloudy.		
14	50	8	0	50	57	29,96	83	0,047	SW	2	Cloudy.	
54	2	0	54	60,5	29,94	77		SSW	2	Hazy.		
15	48	8	0	48	59	30,00	75		SW	2	Fine.	
55	2	0	53,5	61	30,11	75		SW	2	Fine.		
16	49	8	0	51	59	30,23	81		S	2	Cloudy.	
55	2	0	54	62	30,28	78		S b. W	1	Cloudy.		

METEOROLOGICAL JOURNAL

for January, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
	°										
Jan. 17	45	8	0	46	58	30,32	83		S	1	Fine.
	50	2	0	50	61,5	30,30	81		SSE	1	Fine.
18	42	8	0	46	58	30,14	81		S	1	Fair.
	53	2	0	51	60	30,11	83		S	1	Cloudy.
19	48	8	0	49	58,5	30,08	81		S	2	Fair.
	54	2	0	53	60	29,96	75		S	2	Fair.
20	46	8	0	48	57	29,72	78		S	2	Fair.
	53	2	0	52	60	29,78	75		S	2	Fair.
21	50	8	0	54	58	29,61	77		SSW	2	Cloudy.
	56	2	0	55	60,5	29,68	72		SSW	2	Cloudy.
22	47	8	0	47	58	29,68	74		SE	1	Fair.
	56	2	0	53	62	29,58	69		SE	1	Fine.
23	49	8	0	49	59	29,59	76		S	2	Cloudy.
	52,5	2	0	51,5	60	29,46	73		S	2	Cloudy.
24	47	8	0	47	57	29,26	74	0,049	SSW	2	Fine. [much wind last night.
	50,5	2	0	46	58	29,49	73		W	2	Fair.
25	45	8	0	48	55	29,15	78	0,101	S	3	Cloudy. [much wind last night.
	50,5	2	0	48	58	29,15	77		S	2	Rain.
26	42,5	8	0	44	56	29,30	77	0,070	S	2	Cloudy.
	50	2	0	49	57	29,12	80		S	2	Rain.
27	42	8	0	42	55	29,24	76	0,422	SSW	2	Cloudy.
	48,5	2	0	48,5	58	29,35	73		SSW	2	Fair.
28	42	8	0	42	56	29,24	80	0,202	S	1	Rain.
	47	2	0	45	58	29,18	80		SSW	1	Rain.
29	40	8	0	47	56	29,02	80	0,375	S	2	Cloudy.
	50	2	0	49	58	29,00	75		S	2	Cloudy.
30	41	8	0	42	54	29,03	80	0,155	SSE	1	Fair.
	50	2	0	49,5	58	29,04	76		S	2	Cloudy.
31	44	8	0	44	54	29,09	81	0,215	SSE	1	Cloudy.
	48	2	0	48	57	29,05	80		SE	1	Cloudy.

METEOROLOGICAL JOURNAL

for February, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	o	o	Inches.		Inches.	Points.	Str.	
Feb. 1	o										
	43	7	o	43	54	29,06	80	0,118	S	2	Rain.
2	48	2	o	44	56	29,09	78		S	2	Rain.
	38	7	o	39	54	29,28	79	0,038	ESE	2	Fair.
3	45,5	2	o	44	57	29,27	77		SE	2	Cloudy.
	33	7	o	33,5	53,5	29,65	81	0,130	SW	1	Fair.
4	44	2	o	42	57	29,61	76		S b. E	2	Fair.
	36	7	o	37,5	54	29,55	81		N	1	Cloudy.
5	45	2	o	45	56,5	29,68	75		NNW	1	Fair.
	36,5	7	o	40	54	29,18	82	0,172	S b. E	2	Rain.
6	48	2	o	46	56	29,20	73		SSW	2	Cloudy.
	39	7	o	39	54	29,15	80		SW	1	Fair.
7	46	2	o	46	57	29,27	76		WNW	1	Cloudy.
	35	7	o	36	54	29,45	80	0,064	SW	1	Cloudy.
8	45	2	o	44	55	29,28	76		SE	1	Cloudy.
	40	7	o	42	53	29,18	80	0,170	S	1	Fair.
9	49	2	o	48,5	55,5	29,09	78		S	1	Cloudy.
	37,5	7	o	38,5	54	29,05	83	0,121	SW	1	Cloudy.
10	46,5	2	o	46	56	29,18	77		N	1	Cloudy.
	39	7	o	39	53	29,70	78	0,020	NE	2	Cloudy.
11	41	2	o	41	53	29,92	74		NE	2	Cloudy.
	32	7	o	33	52	30,23	77		N	1	Fair.
12	42	2	o	41	54	30,22	75		SSW	1	Cloudy.
	40	7	o	44	53	29,93	85	0,102	S	2	Rain.
13	52	2	o	52	55	29,70	86		S	2	Cloudy.
	35	7	o	35	53	29,64	78	0,208	SW	1	Fine.
14	44	2	o	40	55	29,54	77		NNE	2	Cloudy.
	36	7	o	37	53	29,57	78		WNW	1	Cloudy.
15	47	2	o	46,5	55	29,57	71		NW	2	Fair.
	35	7	o	35,5	52,5	29,81	75		NNW	2	Fine.
16	44,5	2	o	44,5	56	29,88	74		N	1	Fair.
	35	7	o	36	53	30,04	75		W	1	Fair.
	48	2	o	48	55	30,05	73		SW	1	Cloudy.

METEOROLOGICAL JOURNAL

for February, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
Feb. 17	°										
	42	7	0	43	53	29.97	80		SW	1	Fair.
18	50	2	0	50	56	30.00	70		W	1	Cloudy.
	39.5	7	0	40	54	30.07	80		SSW	1	Cloudy.
19	48.5	2	0	48	56	30.03	74		SSW	1	Cloudy.
	48	7	0	48.5	55.5	30.00	81		WSW	1	Cloudy.
20	56	2	0	55.5	58	30.06	76		WNW	1	Cloudy.
	46	7	0	46	58	30.10	78		WNW	1	Cloudy.
21	51.5	2	0	51	58.5	30.10	72		WNW	1	Cloudy.
	43	7	0	43	57	30.15	76		WSW	1	Cloudy.
22	47	2	0	47	58.5	30.15	74		W	1	Cloudy.
	43	7	0	43	56	30.07	73		E	1	Cloudy.
23	44	2	0	44	58	30.05	73		ESE	1	Cloudy.
	35	7	0	39	56	30.05	79		ENE	1	Cloudy.
24	48.5	2	0	47.5	58	30.04	71		ENE	1	Fair.
	34	7	0	35	55	30.13	78		ENE	1	Fair.
25	45	2	0	44.5	57.5	30.16	66		ENE	1	Fine.
	38	7	0	35	55	30.30	79		E	1	Cloudy.
26	43	2	0	42	56	30.31	74		NE	1	Cloudy.
	38	7	0	38	55	30.30	75		NE	1	Cloudy.
27	43	2	0	43	57	30.31	74		NE	1	Cloudy.
	37	7	0	38	54	30.31	78		NE	1	Cloudy.
28	42.5	2	0	41	56.5	30.24	67		NE	2	Cloudy.
	30	7	0	30.5	52	30.28	71		NE	2	Cloudy.
29	37	2	0	36	53.5	30.25	71		NE	1	Cloudy.
	30	7	0	31	51	30.09	77		E	1	Snow.
	33	2	0	32.5	54	30.14	68		NE	2	Fair.

METEOROLOGICAL JOURNAL

for March, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
Mar. 1	°										
	27	7	0	30	49	29,88	71		NE	2	Cloudy.
	39	2	0	38	51	29,88	68		NE	2	Cloudy.
	2	33	7	0	35	49	29,82	73	NE	2	Cloudy.
	41	2	0	40	51	29,82	67		NE	2	Fair.
	3	33	7	0	33	48,5	29,80	70	NE	1	Cloudy.
	37,5	2	0	36	52	29,71	65		E	1	Fair.
	4	28,5	7	0	31,5	48,5	29,87	71	NE	1	Cloudy.
	36,5	2	0	36	51	29,95	65		NE	1	Cloudy.
	5	26,5	7	0	27	48	30,13	70	E	1	Cloudy.
	38	2	0	37	52	30,19	58		ESE	1	Fine.
	6	29	7	0	30	49	30,32	64	SE	1	Cloudy.
	33	2	0	30,5	50	30,35	71		E	1	Cloudy.
	7	29	7	0	29	47	30,30	68	NE	1	Cloudy.
	32	2	0	31,5	50	30,29	68		NE	2	Cloudy.
	8	27,5	7	0	29	48	30,28	69	ENE	1	Cloudy.
	38	2	0	37,5	50	30,23	68		ENE	1	Fair.
	9	33	7	0	34	48	30,06	74	NE	1	Cloudy.
	43	2	0	42	50	30,00	71		E	1	Fair.
	10	30	7	0	32	48,5	29,97	80	NE	1	Fair.
	48	2	0	48	53	29,95	67		E	1	Fair.
	11	33	7	0	34	50	29,91	79	E	1	Fair.
	45	2	0	45	54	29,90	78		E	1	Fair.
	12	40	7	0	42	52	29,98	79	E	1	Cloudy.
	53	2	0	50	55	30,03	76		SSE	2	Cloudy.
	13	46	7	0	46	54	30,17	84	SSW	1	Cloudy.
	52	2	0	52	56	30,21	79		S	1	Cloudy.
	14	42	7	0	44	54	30,26	83	SSE	1	Fair.
	54	2	0	54	57	30,23	65		S	1	Fair.
	15	43	7	0	46	54	30,18	81	S	1	Hazy.
	59	2	0	58	58	30,18	68		SSE	2	Fine.
	16	42	7	0	43	56	30,17	76	ENE	1	Fair.
	60	2	0	59	58,5	30,18	66		E	1	Hazy.

METEOROLOGICAL JOURNAL

for March, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
Mar. 17	°										
	39	7	0	40	56	30,19	75		ENE	1	Fair.
18	56	2	0	56	59	30,18	62		E	1	Fine.
	37	7	0	38	58	30,12	72		ENE	1	Fine.
19	55	2	0	55	60	30,10	63		E	1	Fine.
	37	7	0	38	58	30,26	74		ENE	1	Fine.
20	54	2	0	53	59	30,32	63		E	1	Fine.
	35	7	0	39	58	30,44	74		NE	1	Cloudy.
21	46	2	0	46	59	30,42	66		NE	1	Cloudy.
	39	7	0	42	55	30,36	72		NE	1	Cloudy.
22	51	2	0	51	60	30,36	65		NE	1	Fine.
	41	7	0	42	58	30,35	70		NE	1	Cloudy.
23	49	2	0	49	59	30,30	67		NE	1	Cloudy.
	41	7	0	42	55	30,22	72		NE	1	Cloudy.
24	47	2	0	47	57	30,19	67		NE	1	Cloudy.
	40	7	0	41	55	29,99	70		W	1	Cloudy.
25	48	2	0	48	56	29,90	68		W	1	Cloudy.
	34	7	0	35	54	29,90	68		N	2	Fine.
26	44	2	0	44	56	29,94	59		NE	1	Fine.
	41	7	0	46	55	29,73	74		NW	1	Cloudy.
27	54,5	2	0	53	58	29,72	68		NW	1	Cloudy.
	33	7	0	33	56	29,50	77		NE	2	Snow.
28	39	2	0	38	57	29,63	66		NE	2	Fine.
	30	7	0	32	54	29,68	75		NNE	2	Cloudy.
29	42	2	0	42	56	29,70	68		NE	2	Cloudy.
	28	7	0	31	53	29,80	72	0,043	W	1	Fine.
30	47	2	0	45	54	29,79	69		W	1	Cloudy.
	36	7	0	40	54	29,66	74		WSW	1	Cloudy.
31	51	2	0	48	56	29,56	76		S	1	Cloudy.
	42	7	0	42	55	29,74	79	0,031	SW	1	Cloudy.
	55	2	0	54	57	29,81	70		SW	1	Cloudy.

METEOROLOGICAL JOURNAL

for April, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- meter.	Rain.	Winds.		Weather.
		H.	M.	o	o	Inches.		Inches.	Points.	Str.	
Apr. 1	o										
	45	7	o	47	56	29,83	82		S	1	Cloudy.
	56	2	o	56	57	29,88	79		SSE	1	Cloudy.
2	46	7	o	46	57	29,93	81		E	1	Cloudy.
	59	2	o	58	59	29,96	73		ESE	1	Cloudy.
3	49,5	7	o	51	58	30,10	82	0,068	E	1	Rain.
	58	2	o	57,5	60	30,11	78		E	1	Cloudy.
4	43	7	o	45	58	30,16	81	0,212	E	1	Hazy.
	63	2	o	61	61	30,14	76		E	1	Fair.
5	42	7	o	45	59	30,15	75		E	1	Fine.
	56	2	o	56	61	30,15	67		E	1	Fine.
6	37	7	o	40	58	30,17	77		E	1	Fine.
	51	2	o	49	61	30,16	63		E	1	Fine.
7	37	7	o	40	58	30,20	78		E	1	Hazy.
	52	2	o	50,5	59	30,19	62		E	1	Cloudy.
8	36	7	o	41	58	30,26	77		ENE	1	Hazy.
	51,5	2	o	49	58	30,22	66		ENE	1	Cloudy.
9	38	7	o	40	57	30,11	75		NE	1	Fair.
	50	2	o	48,5	58	29,99	64		NE	1	Cloudy.
10	37	7	o	42	56	29,96	77		NE	1	Fine.
	50	2	o	49	57	29,96	68		NE	1	Cloudy.
11	39	7	o	41	55	29,95	78		NE	1	Cloudy.
	50	2	o	49	57	29,92	68		NE	1	Cloudy.
12	41,5	7	o	44	55	29,95	75		NE	1	Cloudy.
	50,5	2	o	49	57	29,98	68		NE	1	Cloudy.
13	36	7	o	39	55	30,11	76		NE	1	Cloudy.
	51	2	o	50,5	57	30,11	66		NE	1	Cloudy.
14	39	7	o	42	55	30,13	71		W	1	Cloudy.
	55,5	2	o	55	58	30,10	63		NW	1	Cloudy.
15	45	7	o	48	57	30,20	72		NW	1	Cloudy.
	63	2	o	62	59,5	30,20	66		NW	1	Fair.
16	50	7	o	50	58	30,18	76		W	1	Cloudy.
	61	2	o	58	60	30,14	68		W	1	Cloudy.

METEOROLOGICAL JOURNAL

for April, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H. M.		°	°	Inches.		Inches.	Points.	Str.	
Apr. 17	°										
	47,5	7	0	50	59	30,14	73		WNW	1	Cloudy.
	62	2	0	60	61	30,14	68		NW	1	Cloudy.
18	46	7	0	47	59	30,13	77		W	1	Hazy.
	65	2	0	64	62	30,16	66		W	1	Cloudy.
19	45	7	0	48	60	30,16	77		ENE	1	Cloudy.
	64,5	2	0	64	63	30,13	64		ESE	1	Fine.
20	45	7	0	50	61	30,12	70		E	1	Fine.
	60	2	0	60	63	30,06	61		E	2	Fine.
21	45	7	0	50	61	30,00	71		E	2	Fine.
	65	2	0	64	64	29,99	63		E	2	Fine.
22	48	7	0	52	63	30,10	69		E	1	Fair.
	67	2	0	66	64	30,10	59		E	1	Fine.
23	47	7	0	50	63	30,10	72		E	1	Hazy.
	70	2	0	68,5	64,5	30,06	62		E	1	Cloudy.]
24	50	7	0	53	63	30,04	76		WSW	1	Cloudy.
	60	2	0	59	64	30,08	63		NW	1	Fair.
25	42	7	0	47	62	30,20	70		NE	2	Fine.
	57	2	0	56	63	30,19	64		NE	2	Fair.
26	43	7	0	46	61	30,32	72		NE	2	Fine.
	60	2	0	58	64	30,30	63		NE	1	Fine.
27	41	7	0	42	61	30,30	74		NE	1	Cloudy.
	56	2	0	55	62	30,22	67		SE	1	Hazy.
28	45	7	0	47	61	29,97	73				Fair.
	65	2	0	65	63,5	29,81	59				Fine.
29	45	7	0	48	62	29,50	72		SW	1	Cloudy.
	61,5	2	0	60	63	29,36	62		SSE	1	Fair.
30	45	7	0	47	61	29,14	74		E	2	Cloudy.
	56,5	2	0	51	62	29,08	72	0,022	SE	2	Rain.

METEOROLOGICAL JOURNAL

for May, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.	
		H.	M.	o	o	Inches.		Inches.	Points.	Str.		
May	o											
	40,5	7	o	44,5	61	29,16	73		SW	1	Fair.	
	59	2	o	56	62	29,18	64		ESE	1	Cloudy.	
	2	42	7	o	48	60	29,35	73		ENE	1	Fair.
	59	2	o	58	62,5	29,43	65		ENE	1	Fair.	
	3	45	7	o	46	60	29,66	79	0,105	E	1	Rain.
	49	2	o	49	60	29,71	76		E	1	Cloudy.	
	4	41,5	7	o	44	59	29,81	72	0,102	NE	1	Cloudy.
	50	2	o	50	59	29,81	67		NE	1	Cloudy.	
	5	39	7	o	44	58	29,84	73		NE	1	Fair.
	53	2	o	52	59	29,84	63		NE	1	Cloudy.	
	6	39	7	o	45	57	29,90	70		NE	1	Cloudy.
	55	2	o	53	58	29,88	72		NE	1	Cloudy.	
	7	41	7	o	47	58	29,96	74	0,117	WSW	1	Cloudy.
	60	2	o	58	59	29,91	64		S	1	Fair.	
	8	46	7	o	51	58	29,53	85	0,370	W	1	Rain.
	58	2	o	57	60	29,69	71		WNW	1	Cloudy.	
	9	50	7	o	53	59	29,65	75	0,236	SW	2	Fine.
	64	2	o	63	62	29,69	64		WSW	2	Cloudy.	
	10	50	7	o	52	60	29,66	75	0,064	SW	2	Fair.
	63	2	o	62	62	29,66	65		SW	2	Fair.	
	11	50	7	o	52	61	29,55	77	0,116	SSW	2	Fair.
	62	2	o	60	62	29,62	66		SSW	2	Fair.	
	12	49	7	o	52	60	29,72	75	0,120	SSW	2	Fair.
	62	2	o	59	63	29,69	68		SW	2	Fair.	
	13	45	7	o	47	60	29,41	74	0,101	SSW	2	Fair.
	59	2	o	57	61	29,52	67		SSW	2	Fair.	
	14	45	7	o	47	60	29,86	74	0,172	NW	1	Cloudy.
	57,5	2	o	57	61	29,91	65		NW	1	Fair.	
	15	41	7	o	44	60	29,87	77	0,154	NW	1	Fine.
	57	2	o	55	61	29,82	70		NW	1	Cloudy.	
	16	41	7	o	44	59	29,85	76	0,056	NNW	1	Fair.
	55	2	o	53	60,5	29,95	71		ENE	1	Fair.	

METEOROLOGICAL JOURNAL

for May, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
May	°										
	39	7	0	44	59	30,22	73	0,021	ENE	1	Fine.
	57	2	0	56	60	30,22	64		E	1	Fine.
	43	7	0	50	58,5	30,12	78		E	1	Fine.
	62,5	2	0	62	61,5	30,04	68		E	2	Fine.
	49,5	7	0	53	60	29,98	72		E	2	Fine.
	63,5	2	0	62	61	29,94	61		E	2	Fine.
	47,5	7	0	52	60	29,85	72		ENE	2	Fine.
	65	2	0	63,5	62	29,84	61		E	2	Fine.
	49	7	0	53	61	29,72	82		NE	1	Cloudy.
	57	2	0	54	61,5	29,71	78		ENE	1	Cloudy.
	48	7	0	52	61	29,82	74		NW	1	Cloudy.
	63	2	0	61	62	29,85	66		W	1	Fair.
	48	7	0	50	60	30,00	80	0,040	NW	1	Rain.
	62,5	2	0	61	62	30,05	69		NW	1	Cloudy.
	48	7	0	49	61	30,10	77		NE	1	Cloudy.
	57,5	2	0	57	62	30,02	71		NE	1	Cloudy.
	45	7	0	46	60	29,84	80		NE	1	Cloudy.
	64	2	0	63	63	29,76	66		ENE	1	Fine.
	47	7	0	51	61	29,86	71		WSW	1	Fair.
	69	2	0	67	62	29,79	64		WSW	1	Cloudy.
	50	7	0	56	61,5	29,78	74		W	1	Cloudy.
	65	2	0	64	63	29,74	67		W	1	Fair.
	46	7	0	50	61,5	29,86	75		W	1	Hazy.
	62	2	0	59	62	29,80	65		SW	2	Cloudy.
	47	7	0	50	60	29,55	73	0,058	SSW	2	Fine.
	61	2	0	57	61	29,53	70		SSW	2	Cloudy.
	49	7	0	51	59	29,00	80	0,164	S	2	Rain.
	58	2	0	57	60	28,94	68		S	2	Cloudy.
	48	7	0	50	58	29,18	80	0,305	SW	1	Rain.
	60	2	0	59	60	29,34	70		SW	2	Fair.

METEOROLOGICAL JOURNAL

for June, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.			Inches.			Points.	Str.	
June 1	0										
	47	7	0	51	60	29,72	72	0,072	SSW	2	Fair.
	62	2	0	60	60	29,72	67		SSW	2	Fair.
2	45	7	0	50	59	29,69	70		SSE	2	Fair.
	60	2	0	57	59	29,56	67		SE	2	Hazy.
3	49	7	0	51	59	29,44	79	0,156	NNE	1	Cloudy.
	58	2	0	58	59	29,50	70		NW	1	Cloudy.
4	47	7	0	48	59	29,62	77	0,076	WNW	1	Cloudy.
	58	2	0	58	59	29,78	69		NW	1	Fair.
5	46	7	0	51	59	30,04	74		WSW	1	Hazy.
	66	2	0	65	60	30,05	63		S	1	Hazy.
6	49	7	0	51,5	59	30,09	79	0,058	NNE	1	Cloudy.
	64	2	0	62	60	30,12	67		NE	1	Cloudy.
7	52	7	0	53	60	30,13	77		SW	1	Fair.
	72	2	0	70	61	30,07	65		WSW	1	Cloudy.
8	57	7	0	58	61,5	29,96	80		SSW	1	Cloudy.
	68,5	2	0	67	63	29,90	65		WSW	1	Cloudy.
9	53	7	0	54,5	61,5	29,80	72		WSW	1	Cloudy.
	68	2	0	67	62	29,87	62		NW	1	Cloudy.
10	48	7	0	51	62	30,10	74		E	1	Fair.
	68	2	0	67	63	30,00	66		S	2	Fair.
11	50	7	0	55	62	29,81	76		SW	1	Hazy.
	73	2	0	72	63	29,77	67		SSW	1	Hazy.
12	51	7	0	57	63	29,77	73		WNW	1	Cloudy.
	62	2	0	61	63,5	29,86	73		SW	2	Cloudy.
13	56	7	0	58	63	30,03	73		SW	2	Cloudy.
	63	2	0	63	63	30,04	71		SW b.S	2	Cloudy.
14	53	7	0	55	62	29,98	71		SSW	2	Cloudy.
	63	2	0	63	62,5	29,92	69		SSW	2	Cloudy.
15	45	7	0	49	61	30,04	74	0,035	WSW	2	Fine.
	64	2	0	63	62	30,04	61		WSW	2	Fair.
16	46	7	0	52	61	30,16	73		SW	2	Fair.
	62	2	0	58	61,5	30,08	79		SSW	2	Cloudy.

METEOROLOGICAL JOURNAL

for June, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
June 17	°										
	51	7	0	55	61	30,21	80	0,033	SW	1	Cloudy.
18	67	2	0	66	63	30,17	72		SSW	1	Cloudy.
	58	7	0	59	62	30,22	77	0,056	SW	1	Cloudy.
19	70	2	0	69	63	30,24	64		WSW	1	Cloudy.
	52	7	0	56	62	30,11	67		E	1	Hazy.
20	72	2	0	72	63,5	29,91	62		SSE	1	Cloudy.
	53	7	0	55	63	29,67	73		W	1	Cloudy.
21	63	2	0	61	63	29,60	63		WSW	1	Cloudy.
	46	7	0	53	61	29,77	71		WNW	2	Cloudy.
22	64	2	0	63	63	29,83	63		WNW	2	Cloudy.
	50	7	0	53	61	29,64	83	0,026	S	1	Rain.
23	66	2	0	63	62	29,64	71		W	1	Cloudy.
	53	7	0	56	62	29,87	74	0,024	W	1	Cloudy.
24	68	2	0	67	63	29,96	63		NW	1	Fair.
	54	7	0	58	63	30,16	74		NW	1	Fair.
25	73	2	0	72	65	30,22	61		N	1	Fine.
	54	7	0	58	64	30,25	72		SSW	1	Fine.
26	75	2	0	73,5	66	30,19	64		S b. E	1	Fine.
	54	7	0	59	65	29,96	72		ESE	1	Fine.
27	80	2	0	78	68,5	29,83	65		S	2	Fine.
	56	7	0	57	66	30,02	65		N	2	Cloudy.
28	65	2	0	61	66	30,03	63		NE	1	Cloudy.
	53	7	0	57	65	30,09	67		NE	1	Cloudy.
29	65	2	0	61	64	30,09	64		E	1	Cloudy.
	53	7	0	57	64	30,22	68		E	1	Fair.
30	68	2	0	67	65	30,23	60		NE	1	Fair.
	49	7	0	53	64	30,31	72		E	1	Fine.
	73	2	0	72	66	30,22	59		E	1	Fine.

METEOROLOGICAL JOURNAL

for July, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
July 1	°										
	53	7	0	57	64	30,18	69		E	1	Cloudy.
2	73	2	0	73	66	30,15	67		E	1	Fine.
	56	7	0	61	64,5	30,04	74		E	1	Cloudy.
3	70,5	2	0	68	66	30,00	69		NW	1	Cloudy.
	53	7	0	56	65	29,81	73	0,031	NW	1	Fair.
4	65	2	0	63	66	29,80	65		NE	1	Cloudy.
	49	7	0	54	64	29,81	71		N	1	Cloudy.
5	66	2	0	65	65	29,80	61		W	1	Cloudy.
	55,5	7	0	58	64	29,52	81		SSW	2	Cloudy.
6	68	2	0	67	65	29,40	65		SW	2	Fair.
	51	7	0	55	64	29,39	76	0,281	SSW	2	Cloudy.
7	65	2	0	60,5	64	29,37	67		SSW	2	Cloudy.
	48	7	0	52	63	29,78	72	0,075	SW	2	Cloudy.
8	65	2	0	64	64	29,83	61		W	2	Fair.
	47,5	7	0	52	62	29,82	74	0,131	SSW	2	Cloudy.
9	61	2	0	56	62	29,75	73		SW	2	Cloudy.
	44,5	7	0	50	61	29,94	77	0,218	SW	2	Fine.
10	64	2	0	61	62	29,94	73		SW	2	Cloudy.
	54	7	0	56	61	29,65	86	0,350	SW	2	Rain.
11	62	2	0	61,5	62	29,71	68		SW	2	Cloudy.
	49	7	0	52	61	29,83	75		WNW	2	Fine.
12	65	2	0	64	62	29,82	64		WNW	2	Cloudy.
	46,5	7	0	51	60	29,94	76	0,167	WNW	1	Fine.
13	68,5	2	0	67,5	62	29,96	61		WNW	2	Fair.
	55	7	0	57	61	29,74	81		SW	1	Cloudy.
14	72	2	0	71	63	29,78	63		SW	1	Hazy.
	58	7	0	62	62	29,81	82	0,018	SSW	2	Cloudy.
15	75	2	0	74,5	64	29,87	66		SW	2	Fair.
	60	7	0	63	64	29,94	76		S	2	Fair.
16	77,5	2	0	76,5	66	29,90	65		SSE	2	Fine.
	63	7	0	63,5	67	29,62	74		S	2	Fair.
	72	2	0	71	67	29,62	67		S	2	Cloudy.

METEOROLOGICAL JOURNAL

for July, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
July	°										
	56	7	0	58	66	29,75	73		SSW	2	Fine.
	69	2	0	67	67	29,81	65		SSW	2	Fair.
	18 54	7	0	58	63	29,92	77		S	2	Cloudy.
	70	2	0	68	65	29,87	63		SSE	2	Cloudy.
	19 56	7	0	56	65	29,65	79	0,173	S	2	Cloudy.
	63	2	0	63	65	29,78	70		SW	2	Cloudy.
	20 50	7	0	54	64	30,11	77		WSW	1	Fine.
	70	2	0	68,5	65	30,11	64		SW	1	Cloudy.
	21 54	7	0	59	64	29,87	75		SSW	1	Cloudy.
	70	2	0	69	65	29,88	61		SW	2	Fair.
	22 53	7	0	55	64	29,85	73		SW	1	Fair.
	67	2	0	66	65	29,81	62		SW	1	Fair.
	23 52	7	0	55	64	29,72	74	0,030	SW	1	Fine.
	68	2	0	66	64	29,71	64		WNW	1	Cloudy.
	24 53	7	0	56	63	29,54	81	0,186	SW	2	Rain.
	72	2	0	69	65	29,59	65		W	2	Fair.
	25 58	7	0	60	64	29,56	80	0,025	W	2	Fair.
	71	2	0	71	66,5	29,56	66		SSW	2	Fair.
	26 57	7	0	58	65	29,55	77	0,031	S	2	Fair.
	67	2	0	66	65	29,54	67		S	2	Fair.
	27 55	7	0	57	64	29,67	76	0,030	S	1	Fair.
	69	2	0	67	66	29,67	64		SSW	1	Cloudy.
	28 53	7	0	56	64	29,84	80	0,080	SSW	2	Fine.
	66	2	0	62	64	29,85	74		S	2	Cloudy.
	29 57,5	7	0	58	64	29,77	80	0,078	SSW	2	Cloudy.
	73,5	2	0	72	66	29,84	67		SW	2	Fair.
	30 56	7	0	59	65	29,93	75		NE	1	Hazy.
	71	2	0	71	66	29,93	66		E	1	Hazy.
	31 56	7	0	58	65	29,93	82		ESE	1	Cloudy.
	74	2	0	73	66	29,91	67		SSE	2	Fair.

METEOROLOGICAL JOURNAL

for August, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	o	o	Inches.		Inches.	Points.	Str.	
Aug. 1	o										
	60	7	o	62	66	29,79	83		SSW	1	Cloudy.
	68	2	o	64	66	29,78	81		SSW	1	Rain.
2	60,5	7	o	62	66	29,80	78	0,093	SSW	2	Cloudy.
	68	2	o	66	66	29,80	75		SSW	2	Cloudy.
3	56,5	7	o	56,5	65,5	29,73	82	0,210	W	1	Cloudy.
	66	2	o	64	66	29,86	68		NW	1	Cloudy.
4	48,5	7	o	52	64,5	30,01	77		SW	1	Fine.
	66,5	2	o	65	64	30,02	63		SW	1	Cloudy.
5	51	7	o	53	64	30,14	78		SW	1	Fine.
	69,5	2	o	68	66	30,11	64		SW	2	Fair.
6	54	7	o	58	64	30,06	76		SW	2	Cloudy.
	69	2	o	66	65	30,01	70		SW	2	Cloudy.
7	50	7	o	53	64	30,22	76		WNW	1	Fine.
	72	2	o	71	65	30,19	62		WNW	1	Fine.
8	52	7	o	57	64	30,12	73		SW	1	Fine.
	74	2	o	74	66	30,01	63		S	1	Fine.
9	56	7	o	58	65	29,93	75		SW	1	Cloudy.
	73	2	o	72	67	29,85	68		S	1	Fine.
10	58	7	o	60	66	29,71	79		W	1	Cloudy.
	72	2	o	71	68	29,82	72		WNW	1	Fair.
11	52	7	o	56	66	30,14	76		WSW	1	Hazy.
	71	2	o	71	67	30,14	62		NE	1	Hazy.
12	52	7	o	58	66	30,08	76		E	1	Hazy.
	72	2	o	72	68	30,03	63		E	1	Fine.
13	55,5	7	o	57,5	66	30,15	75		ENE	1	Hazy.
	77	2	o	74	68	30,17	62		NE	1	Fine.
14	57	7	o	62	67	30,20	75		NE	1	Cloudy.
	77	2	o	77	68	30,19	64		E	1	Cloudy.
15	58	7	o	61	68	30,29	74		ENE	1	Fine.
	73	2	o	72	70	30,31	69		E	1	Fine.
16	52	7	o	57	67,5	30,41	78		NE	1	Fair.
	71	2	o	71	69	30,39	62		E	1	Fine.

METEOROLOGICAL JOURNAL

for August, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	o	o	Inches.		Inches.	Points.	Str.	
	o										
Aug. 17	49	7	o	55	67	30,37	72		NE	1	Cloudy.
	68,5	2	o	68	68	30,32	63		E	1	Fine.
18	56	7	o	59	67	30,22	67		NE	1	Cloudy.
	70	2	o	69	69	30,15	64		E	1	Fine.
19	53	7	o	58	68	30,10	80		NE	1	Cloudy.
	71	2	o	71	69	30,06	65		E	1	Fine.
20	55	7	o	60	68	30,05	83		E	1	Cloudy.
	74	2	o	73	70	30,02	59		E	1	Fine.
21	57	7	o	60	69	30,00	80		E	1	Hazy.
	78	2	o	78	72	30,00	63		E	1	Fair.
22	58	7	o	63	70	30,10	72		E	1	Fair.
	80	2	o	80	72	30,11	59		NE	1	Fine.
23	56,5	7	o	59	70	30,17	80		NE	1	Cloudy.
	74,5	2	o	74	71,5	30,14	67		NE	1	Fine.
24	56	7	o	58	70	30,14	60		ENE	1	Cloudy.
	76	2	o	74	72	30,09	65		E	1	Fine.
25	57	7	o	58	68	30,08	77		NE	1	Cloudy.
	74,5	2	o	73	71	30,03	65		NE	1	Fair.
26	56	7	o	58	68	30,03	79		SW	1	Cloudy.
	73	2	o	73	70	29,98	67		WSW	1	Cloudy.
27	54	7	o	57	69	29,90	77	0,098	W	1	Fair.
	65	2	o	63	69	29,98	64		NW	1	Fair.
28	48	7	o	53	68	30,14	75		SW	1	Fine.
	65	2	o	64	67	30,11	62		WNW	2	Fair.
29	51,5	7	o	55	67	29,98	77		NW	2	Cloudy.
	64	2	o	61	68	29,98	73		NW	2	Cloudy.
30	52,5	7	o	56	65	30,04	78	0,071	NE	2	Cloudy.
	64	2	o	60	66	30,04	80		NNE	1	Cloudy.
31	54	7	o	56	66	29,98	80	0,057	NE	1	Cloudy.
	61	2	o	61	66	29,97	83		N	1	Cloudy.

METEOROLOGICAL JOURNAL

for September, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	o	o	Inches.		Inches.	Points.	Str.	
	o										
Sept. 1	53,5	7	o	54	65	29,97	79	0,038	N	1	Cloudy.
	63	2	o	62	65	29,92	65		N	1	Cloudy.
2	51	7	o	53	64	29,97	77		NE	1	Fine.
	62	2	o	62	64	30,01	65		N	1	Cloudy.
3	50	7	o	53	64	30,08	79		NE	1	Cloudy.
	65,5	2	o	65	64,5	30,03	65		W	1	Fair.
4	53	7	o	56	63	29,88	85		W	1	Fair.
	67	2	o	66	64	29,88	82		WSW	1	Cloudy.
5	53	7	o	56	64	30,02	75	0,169	WSW	1	Fair.
	65	2	o	64	64	30,06	69		W	1	Cloudy.
6	52	7	o	56	63,5	30,05	81		SW	1	Cloudy.
	68	2	o	68	65	29,96	68		SW	1	Fair.
7	59	7	o	61	65	29,79	78		SW	2	Cloudy.
	68,5	2	o	67	65,5	29,82	77		W	2	Cloudy.
8	52,5	7	o	56	65	29,96	82		SW	1	Fine.
	72	2	o	71	65	29,99	66		WNW	1	Cloudy.
9	57	7	o	59	66	30,05	80		SW	1	Fair.
	72,5	2	o	71,5	67	30,06	69		S	1	Cloudy.
10	59	7	o	60	65,5	30,01	78		NE	1	Fair.
	76	2	o	75	67	30,01	67		S	1	Fair.
11	61	7	o	63	67	30,06	81		S	1	Cloudy.
	73	2	o	73	68	30,06	72		SW	1	Fair.
12	53	7	o	55	67	30,21	81		SSW	1	Cloudy.
	71	2	o	70	67,5	30,22	73		S	1	Fair.
13	53	7	o	56	66,5	30,16	81		SW	1	Cloudy.
	74	2	o	73,5	68	30,09	67		S	2	Fine.
14	55	7	o	57	67	30,12	81		SSW	1	Cloudy.
	74,5	2	o	74	68	30,08	69		SW	1	Fine.
15	61	7	o	63	68	30,00	80		SW	2	Fair.
	74	2	o	74	70	30,01	67		SW	2	Fair.
16	61,5	7	o	62	68,5	30,10	80		SSW	2	Fair.
	71,5	2	o	71	71	30,10	68		SSW	2	Fine.

METEOROLOGICAL JOURNAL

for September, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.						Points.	Str.	
	o										
Sept. 17	56	7	o	58	69	30,04	81		SSW	1	Cloudy.
	79	2	o	78	71	30,01	72		S	1	Fine.
18	58	7	o	61	70	29,94	79		SW	1	Fine.
	75,5	2	o	73	72	29,91	68		WNW	1	Fine.
19	60	7	o	61	70,5	29,83	85	0,380	ENE	1	Cloudy.
	62	2	o	62	70	29,78	83		NE	1	Rain.
20	60	7	o	62	69	29,57	85	0,062	SE	1	Cloudy.
	70	2	o	68	70	29,49	77		ESE	2	Cloudy.
21	59	7	o	59	69	29,46	83	0,316	S	1	Rain.
	68	2	o	67	69	29,57	73		S	1	Fair.
22	52	7	o	55	68	29,72	82	0,122			Foggy.
	64	2	o	63	68	29,73	76		E	1	Fair.
23	52	7	o	52	66,5	29,86	81	0,116	NE	1	Cloudy.
	59	2	o	58	66	29,87	75		NE	1	Cloudy.
24	51	7	o	52	65	29,92	78	0,018	NE	1	Cloudy.
	61	2	o	61	65	29,92	77		NE	1	Cloudy.
25	50	7	o	56	64	29,85	85		NE	1	Cloudy.
	61	2	o	57	64	29,79	84		NE	1	Rain.
26	54,5	7	o	56	64	29,81	88	0,320	NE	1	Cloudy.
	59	2	o	58	64	29,86	86		NE	1	Cloudy.
27	54	7	o	54	63	30,01	85		NE	1	Cloudy.
	61	2	o	61	64	30,05	73		NE	1	Fair.
28	52	7	o	54,5	63	30,08	81		NE	1	Cloudy.
	61	2	o	60	63	30,10	80		NE	1	Cloudy.
29	49	7	o	50	62	30,14	80		NE	1	Fine.
	60	2	o	59	63,5	30,18	69		NE	1	Cloudy.
30	45	7	o	46	61	30,28	78		NE	1	Fine.
	57	2	o	56	62	30,28	66		NE	1	Fair.

METEOROLOGICAL JOURNAL

for October, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy gro- me- ter.	Rain.	Wi nds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
Oct. 1	°										
	40	7	0	42	60	30,21	77		WSW	1	Cloudy.
2	56	2	0	55	60	30,17	72		NW	1	Cloudy.
	49,5	7	0	50	60	30,22	77		W	1	Cloudy.
3	59	2	0	59	60	30,28	71		WNW	1	Cloudy.
	50	7	0	53	59,5	30,29	75		W	1	Cloudy.
4	58	2	0	58	60	30,32	69		WNW	1	Cloudy.
	53	7	0	53	59	30,24	73		W	1	Cloudy.
5	57	2	0	57	59,5	30,17	70		W	1	Cloudy.
	53	7	0	53	59	29,82	72		SSW	2	Fair.
6	58	2	0	56	59	29,71	75		SSW	2	Cloudy.
	51	7	0	52	59	29,40	85	0,210	S	1	Cloudy.
7	58	2	0	57	59,5	29,44	69		S	2	Cloudy.
	45	7	0	46	58	29,38	76	0,061	S	2	Fair.
8	53	2	0	52	58	29,31	78		SSE	2	Fair.
	42	7	0	43	57	29,48	81	0,092	SSW	1	Fair.
9	55	2	0	54	58	29,50	68		W	1	Fair.
	48	7	0	50	57	29,38	86	0,220	S	1	Rain.
10	57,5	2	0	56	58	29,17	85		WSW	1	Rain.
	43,5	7	0	45	56	29,65	73	0,095	W	2	Fine.
11	54,5	2	0	54	57	29,70	65		WNW	2	Fair.
	42	7	0	43	56	29,50	80		WNW	2	Fine.
12	53	2	0	48	56	29,38	76		WNW	2	Fair.
	38,5	7	0	40	54,5	29,48	78	0,036	W	1	Fine.
13	55	2	0	54	56,5	29,49	69		W	2	Fine.
	46	7	0	46	55	29,42	80	0,120	S	1	Rain.
14	51	2	0	51	57	29,46	74		NW	1	Fair.
	42	7	0	43	56	29,67	81	0,110	SW	1	Fine.
15	55	2	0	55	59	29,64	76		S b. E	1	Cloudy.
	45	7	0	46,5	57	29,61	85	0,530	W	1	Cloudy.
16	49	2	0	48,5	58	29,68	82		NE	1	Cloudy.
	39	7	0	40	56	29,95	84		NE	1	Fine.
	51	2	0	50,5	59	30,02	74		NE	1	Fair.

METEOROLOGICAL JOURNAL

for October, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without. °	Therm. within. °	Barom. Inches.	Hy- gro- me- ter.	Rain. Inches.	Winds.		Weather.
		H.	M.						Points.	Str.	
	°										
Oct. 17	38	7	0	39	56	30,18	85		ENE	1	Fair.
	53	2	0	53	59	30,05	76		NE	1	Fair.
18	44	7	0	46	57	29,73	83	0,080	NE	1	Rain.
	50,5	2	0	50	58	29,72	76		NW	1	Cloudy.
19	41	7	0	45	56	29,85	83	0,120	W	1	Cloudy.
	51	2	0	51	58	30,01	73		N	1	Cloudy.
20	46,5	7	0	46,5	57	30,24	79		WNW	1	Cloudy.
	55	2	0	54,5	59	30,26	75		NNW	1	Cloudy.
21	50	7	0	50	58	30,27	84		WNW	1	Cloudy.
	54	2	0	54	60	30,25	79		SW	1	Cloudy.
22	50	7	0	50	59	30,21	85		SW	1	Cloudy.
	56	2	0	55	60	30,16	78		SW	1	Cloudy.
23	51	7	0	51	59	30,18	80		SW	1	Cloudy.
	56	2	0	54	61	30,03	82		WSW	1	Cloudy.
24	36,5	7	0	38	58	30,16	77	0,031	W	1	Fair.
	46	2	0	45	59	30,26	69		NW	1	Fair.
25	30	7	0	32	56	30,50	75		NW	1	Fair.
	44,5	2	0	44	57	30,55	66		NW	1	Fine.
26	35	7	0	36	55	30,55	80		NE	1	Fine.
	49,5	2	0	48	57	30,47	80		NE	1	Cloudy.
27	41	7	0	41	55	30,38	84	0,098	NE	1	Fine.
	50	2	0	49	58	30,36	71		NE	1	Fair.
28	46	7	0	46	56	30,21	80		NE	1	Cloudy.
	52	2	0	50	58	30,14	77		NE	1	Cloudy.
29	46	7	0	46	57	30,08	82		E	1	Cloudy.
	50	2	0	50	58	30,05	79		E	1	Cloudy.
30	47	7	0	47	57	29,98	83		E	1	Cloudy.
	49	2	0	49	58	29,98	79		NE	1	Cloudy.
31	45	7	0	46	56	30,08	79		W	1	Cloudy.
	52,5	2	0	52,5	58	30,11	72		NW	1	Cloudy.

METEOROLOGICAL JOURNAL

for November, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H	M.	°	°	Inches.		Inches.	Points.	Str.	
	0										
Nov. 1	45	7	0	47	56	30,19	82		W	1	Cloudy.
	56	2	0	56	58	30,13	80		WSW	1	Cloudy.
2	52	7	0	52	57	30,00	84		SW	1	Cloudy.
	57	2	0	57	59	29,93	80		WSW	1	Cloudy.
3	52	7	0	52	58	29,78	85		WNW	1	Cloudy.
	54	2	0	54	60	29,75	68		WNW	1	Cloudy.
4	42	7	0	42,5	57	29,57	80		W	1	Fine.
	49	2	0	45	56	29,55	76		NW	1	Fine.
5	39	7	0	42	56	29,86	79		NNW	1	Cloudy.
	45	2	0	45	58	30,03	69		NNE	1	Fine.
6	30	7	0	30	55	30,12	76		SW	1	Fine.
	47	2	0	47	57	29,96	74		SW	1	Fair.
7	40	7	0	42	54	29,69	85		SW	1	Cloudy.
	49,5	2	0	49,5	57	29,60	74		S	1	Hazy.
8	37	7	0	38	55	29,50	81		W	1	Cloudy.
	47	2	0	47	57	29,53	77		NE	1	Fair.
9	41	7	0	41	55	29,78	84		NE	1	Cloudy.
	47,5	2	0	47	56	29,99	80		NE	1	Cloudy.
10	42	7	0	43	54	30,00	84		NE	1	Cloudy.
	45	2	0	45	56	29,98	80		ENE	1	Cloudy.
11	37	7	0	37	54	29,96	82		E	1	Cloudy.
	44	2	0	44	55	29,94	79		E	1	Cloudy.
12	39	7	0	39	53	29,84	83		NE	1	Cloudy.
	46	2	0	46	54	29,77	82		NE	1	Cloudy.
13	39	7	0	39	53	29,68	81		NE	1	Cloudy.
	44	2	0	44	53	29,71	73		NE	1	Fair.
14	38	7	0	38	52	29,74	75		E	1	Cloudy.
	40	2	0	40	53	29,70	72		E	1	Cloudy.
15	36	7	0	36	52	29,70	82		W	1	Cloudy.
	41	2	0	41	54	29,84	71		NW	1	Cloudy.
16	33	7	0	34	52	29,91	80		S	1	Cloudy.
	45	2	0	44	52	29,63	82		SSE	2	Rain.

METEOROLOGICAL JOURNAL

for November, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
Nov. 17	°										
	40	7	0	43	52	29,18	83	0,192	SSW	1	Cloudy.
18	43	2	0	43	53	29,30	83		WNW	1	Cloudy.
	33,5	7	0	36	52	29,34	79	0,153	NW	1	Cloudy.
19	42	2	0	42	53	29,33	82		NW	1	Cloudy.
	39	7	0	39	52	29,38	84	0,110	NW	1	Cloudy.
20	42,5	2	0	42	53	29,35	82		NE	1	Cloudy.
	36	7	0	36	52	29,46	85		NE	1	Cloudy.
21	42	2	0	42	53	29,51	83		NE	1	Cloudy.
	31	7	0	32	51,5	29,64	84	0,087			Foggy.
22	42	2	0	35	53	29,66	85		NE	1	Cloudy.
	42	7	0	42	52	29,65	88	0,387	NE	1	Rain.
23	49	2	0	47,5	53,5	29,69	87		SE	1	Cloudy.
	44	7	0	44	52	29,83	87	0,280	E	1	Cloudy.
24	47	2	0	46	55	29,88	86		E	1	Cloudy.
	42	7	0	43	53	29,98	85		E	1	Cloudy.
25	47	2	0	47	55	30,00	80		NE	1	Cloudy.
	42	7	0	43	54	30,18	80		E	1	Cloudy.
26	43	2	0	43	55	30,25	82		E	1	Cloudy.
	41	7	0	41	53	30,28	79		NE	1	Cloudy.
27	43	2	0	43	55	30,28	76		NE	1	Cloudy.
	42	7	0	42	53	30,27	80		NE	1	Cloudy.
28	44,5	2	0	44	55	30,22	85		NE	1	Cloudy.
	40	7	0	40	53	30,29	81		NE	1	Cloudy.
29	42	2	0	42	54	30,27	77		NE	1	Cloudy.
	34	7	0	35	52	30,27	78		W	1	Cloudy.
30	39	2	0	39	54	30,16	75		WNW	1	Fair.
	29	7	0	29	50	30,00	74		NW	1	Fine.
	30	2	0	30	48	30,00	68		NW	1	Fine.

METEOROLOGICAL JOURNAL

for December, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	o	o	Inches.		Inches.	Points.	Str.	
Dec. 1	o										
	24	8	o	24	47	29,98	75		NW	1	Fine.
	32	2	o	32	49	29,99	73		NW	1	Fine.
	21,5	8	o	21,5	47	30,05	77		W	1	Fine.
	34	2	o	34	48	30,07	76		SW	1	Fine.
	22	8	o	25	46	29,90	77		W	1	Cloudy.
	35	2	o	34	47	29,77	78		SW	1	Fair.
	35	8	o	35	47	29,57	84		SW	1	Cloudy.
	36	2	o	32	47	29,69	78		NW	1	Fair.
	23	8	o	25	44	29,74	81		W	1	Fine.
	36	2	o	36	47	29,62	76		SW	1	Fine.
	24	8	o	25	44	29,82	80	0,262	NW	1	Fair.
	35	2	o	32	48	29,99	74		NW	1	Fine.
	23	8	o	24	44	30,13	82		NW	1	Fair.
	37	2	o	35	45	30,03	80		NW	1	Cloudy.
	26	8	o	28	45	30,00	75		NW	1	Fine.
	37	2	o	37	47,5	30,04	73		NW	1	Fair.
	27	8	o	26	46	30,33	81		NW	1	Fine.
	35	2	o	33	48	30,34	78		NW	1	Cloudy.
	23	8	o	24	45	30,51	81		E	1	Cloudy.
	30	2	o	29	48	30,50	78		SW	1	Fine.
	31	8	o	27	46	30,27	85		SSW	1	Cloudy.
	34	2	o	34	45	30,30	86		WNW	1	Cloudy.
	33,5	8	o	34	44	30,34	85	0,034	N	1	Rain.
	39	2	o	39	48	30,35	85		NNE	1	Cloudy.
	35	8	o	35	46	30,30	87		NE	1	Cloudy.
	37	2	o	37	49	30,26	85		NE	1	Cloudy.
	33,5	8	o	37	47	30,07	83		NE	1	Cloudy.
	41	2	o	41	50	30,07	84		NE	1	Cloudy.
	35	8	o	35	48	30,14	83		NE	1	Cloudy.
	36	2	o	34	50	30,18	84		NE	1	Cloudy.
	33	8	o	33	48	30,16	84		ENE	1	Cloudy.
	35	2	o	35	50	30,20	82		E	1	Cloudy.

METEOROLOGICAL JOURNAL

for December, 1796.

1796	Six's Therm. least and greatest Heat.	Time.		Therm. without.	Therm. within.	Barom.	Hy- gro- me- ter.	Rain.	Winds.		Weather.
		H.	M.	°	°	Inches.		Inches.	Points.	Str.	
Dec. 17	°										
	31	8	0	31	48	30,15	80		E	1	Cloudy.
18	32	2	0	32	50	30,05	80		E	1	Cloudy.
	30	8	0	32	48	29,61	85	0,138	E	1	Rain.
19	35	2	0	35	50	29,42	86		E	1	Rain.
	35	8	0	38	48	29,28	88	0,435			Foggy.
20	48	2	0	46,5	53	29,24	89		SSW	1	Cloudy.
	40	8	0	40	50	29,27	89	0,096	SW	1	Rain.
21	42	2	0	39	53	29,41	84		NE	1	Cloudy.
	28	8	0	28	49	29,61	85		SW	1	Fine.
22	33	2	0	33	51	29,65	82		SSW	1	Cloudy.
	28	8	0	28	49	29,58	80		NE	1	Cloudy.
23	31	2	0	31	50	29,61	74		NE	1	Fair.
	25	8	0	26	48	29,29	87		NE	1	Snow.
24	32	2	0	32	50	29,36	83		NE	1	Cloudy.
	19	8	0	20	47	29,63	80		N	1	Fair.
25	23	2	0	23	49	29,68	76		N	1	Fair.
	4	8	0	5	43	29,73	80				Foggy.
26	23	2	0	16	46	29,72	80		NE	1	Fair.
	16	8	0	23	43	29,62	82		E	2	Fair.
27	29	2	0	29	45	29,59	79		E	2	Cloudy.
	26,5	8	0	26,5	43	29,57	80		E	2	Cloudy.
28	29	2	0	29	47	29,63	80		E b. S	2	Cloudy.
	26,5	8	0	30	43	29,40	85	0,200	E b. S	2	Rain.
29	37	2	0	35	47	29,44	88		E	1	Cloudy.
	35	8	0	36	45	29,47	90	0,068			Foggy.
30	45	2	0	45	48	29,47	90		SE	1	Cloudy.
	44	8	0	46	48	29,54	90	0,041	S b. W	2	Rain.
31	51,5	2	0	49	52	29,54	84		S b. W	2	Rain.
	46	8	0	46	51	29,53	83	0,035	S	2	Cloudy.
	48	2	0	48	54	29,53	86		S	2	Cloudy.

1796.	Six's Therm. without.			Thermometer without.			Thermometer within.			Barometer.*			Hygrometer.			Rain.
	Greatest height.	Last height.	Mean height.	Greatest height.	Last height.	Mean height.	Greatest height.	Last height.	Mean height.	Greatest height.	Last height.	Mean height.	Greatest height.	Last height.	Mean height.	
	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Deg.	Inches.	Inches.	Inches.	Deg.	Deg.	Deg.	Inches.
January	56	36	47.3	55	38	47.5	62	51	57.2	30.32	29.00	29.72	86	73	79.3	2.128
February	56	30	41.7	55.5	30.5	41.7	58.5	51	55.0	30.31	29.05	29.81	86	66	76.3	1.143
March	60	26.5	41.0	59	27	41.4	60	47	54.0	30.44	29.50	30.03	84	58	70.7	0.074
April	70	36	50.9	68.5	39	51.4	64.5	55	59.8	30.32	29.08	30.04	82	59	70.4	0.302
May	65	39	52.7	64	44	54.0	63	57	60.4	30.22	28.94	29.73	85	63	71.4	2.301
June	80	45	58.8	78	49	59.8	68.5	59	62.2	30.31	29.44	29.96	83	59	69.7	0.536
July	77.5	44.5	61.2	76.5	50	62.0	67	60	64.1	30.18	29.37	29.79	86	61	71.2	1.904
August	80	48.5	62.5	80	52	63.7	72	64	67.2	30.41	29.71	30.06	83	59	71.5	0.529
September	79.8	45	61.9	78	46	61.4	72	61	66.1	30.28	29.46	29.96	88	65	75.1	1.541
October	59	30	48.7	59	32	48.9	61	54.5	57.8	30.55	29.17	29.94	86	65	77.2	1.803
November	57	29	42.2	57	29	42.2	60	50	54.3	30.29	29.18	29.83	88	68	80.0	1.209
December	51.5	4	32.1	49	5	32.1	53	43	47.5	30.51	29.24	29.83	90	73	81.9	1.309
Whole year			50.1			50.5			58.8			29.89			74.6	14.779

* The quicksilver in the basin of the barometer is 81 feet above the level of low water spring tides at Somerset-house.